

Ksenia NVR

Network Video Recorder

KSV0021082.300



DATASHEET

MAIN FEATURES

Ksenia NVR is a device that can capture and record images and video streams from IP cameras. It can manage up to a maximum of 8 IP cameras, has two video outputs, one HDMI and one VGA. It also has 4 inputs and 2 alarm outputs. On the device it is necessary to put a hard disk (not supplied) with SATA interface with a maximum capacity of 6TB.

IP Video Input: 8-ch

Two-way audio Input: 1-ch, RCA

Incoming bandwidth: 60Mbps

Outgoing bandwidth: 64Mbps

Remote connection: 128

HDMI Output: 4K (3840 × 2160)/30Hz, 1920 × 1080p/60Hz, 1920 × 1080p/50Hz, 1600 × 1200/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz, 1024 × 768/60Hz

VGA Output: 1920 × 1080p/60Hz, 1920 × 1080p/50Hz, 1600 × 1200/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz, 1024 × 768/60Hz

Audio Output: 1-ch, RCA

Recording Resolution: 12MP/8MP/6MP/5MP/4MP/3P/1080p/960p/720p/ D1/2CIF/CIF

Synchronous Playback: 8-ch

Compression: H.265/H.264

Live view/Playback: 12MP/8MP/6MP/5MP/4MP/3M/ 1080p/960p/720p/D1/2CIF/CIF

Capacity: 1 × 12MP @ 20, 1 × 4K @ 30, 3 × 4MP @ 20, 4 × 1080p @ 25, 8 × 720p @ 25, 16 × D1

SATA: 1 SATA interface

Capacity: up to 6TB for each disk

Network Interface: 1 RJ-45 10M/100M self-adaptive Ethernet Interface

Network Function: HTTP, TCP/IP, IPV4, UPNP, RTSP, UDP, SMTP, NTP, DHCP, DNS, IP Filter, POE, DDNS, FTP, IP Server, P2P

USB Interface: Rear panel: 2 × USB2.0, Front panel: 1 × USB2.0

Alarm In: 4-ch

Alarm Out: 1-ch

Power Supply: 12 Vdc

Consumption (without HDD): 8 W

Working Temperature: -10° C ~ + 55° C (+14° F ~ +131° F)

Working Humidity: 10% ~ 90%

Dimensions: 44 × 260 × 240mm (1.7" × 10.2" × 9.4")

Weight (without HDD): 1.12 Kg (2.47 lb)



DATASHEET

HOW TO ORDER

PRODUCT CODE KSV0021082.300

CODE	NUMBER	DESCRIPTION
KSV0021082.300	1	NVR
	1	Manual IT-EN



DATASHEET

